




PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>TOP LINKS (WITH FORGED ENDS)</b>					
AA102	CAT 1; DIA. - 3/4" LENGTH MAX - 26"				
AA103	CAT 1; DIA. - 3/4" LENGTH MAX - 29"				
AA104	CAT 1; DIA. - 3/4" LENGTH MAX - 33"				
AA105	CAT 2; DIA. - 1" LENGTH MAX - 27 3/4"				
AA106	CAT 2; DIA. - 1" LENGTH MAX - 33"				
AA107	CAT 2; DIA. - 1" LENGTH MAX - 37"				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>TOP LINK WELD ON ENDS (FORGED)</b>					
AA171	CAT 1 ; A - 2"; B - 3/4" C - 1 1/8" ; D - 2 1/4"				
AA172	CAT 2 ; A - 2 3/8"; B - 1" C - 1 1/8" ; D - 2 5/8"				
AA1396	CAT 1 ; A - 48mm; B - 19mm C - 25mm ; D -53mm				
AA1397	CAT 1 ; A - 60mm; B - 19mm C - 34mm ; D -62mm				
AA1398	CAT 2 ; A - 73mm; B - 25.4mm C - 30mm ; D -72mm				
AA1399	CAT 2 ; A - 70mm; B - 25.4mm C - 50mm ; D -80mm				
AA1400	CAT 2 ; A - 70mm; B - 32.1mm C - 50mm ; D -80mm				

**ENGINEERING COMPONENTS**




PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
		LBS			
<b>D SHAPE RINGS</b>					
AA860	FORGED FROM SPECIAL				
	STEEL AVAILABLE IN				
	DIFFERENT SIZES				
	1/2" TO 1"				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
		LBS			
<b>RECESS LASH RING</b>					
AA860B	STEEL PAN				
	WITH FORGED RING				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>RATCHET JACKS &amp; PINS</b>					
AA425	JACK; 1 1/4" THREAD DIA				
	1" CLEVIS PIN DIA				
	ADJ- 20"-28"				
AA426	PIN KIT ; 1" PIN DIA				
	2 3/4" USABLE				
	3 1/2" OVERALL LENGTH				
AA427	CLIP ; 1/8" PIN DIA				
	2 1/2" OVERALL LENGTH				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>TOP LINK PINS</b>					
AA275	CAT0; A- 5/8" DIA. B - 2 3/4" USABLE C - 15/32" HOLE				
AA276	CAT1; A- 3/4" DIA B - 2 3/4" USABLE C - 15/32" HOLE				
AA277	CAT1; A- 3/4" DIA B - 3 7/8" USABLE C - 15/32" HOLE				
AA278	CAT1; A- 3/4" DIA B - 3 7/8" USABLE C - 15/32" HOLE				
AA279	CAT2; A- 1" DIA B - 3 1/4" USABLE C - 15/32" HOLE				
AA280	CAT2; A- 1" DIA B - 3 9/16" USABLE C - 15/32" HOLE				
AA281	CAT2; A- 1" DIA B - 4 5/16" USABLE C - 15/32" HOLE				
AA282	CAT2; A- 1" DIA B - 4 9/16" USABLE C - 15/32" HOLE				
AA283	CAT2; A- 1" DIA B - 5 5/16" USABLE C - 15/32" HOLE				
AA284	CAT3; A- 1 1/4" DIA B - 4 7/16" USABLE C - 15/32" HOLE				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>LEVELLING ASSEMBLY</b>					
AA430	THREAD DIA. - 7/8" OVERALL LENGTH - 19 1/4"				




PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>LIFT ARM</b>					
AA435	PIN HOLES - 7/8" LENGTH HOLES CENTRE - 32"				

**LOWER LINK PINS**



<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>WEIGHT</b>	<b>NO. OF PCS/</b>	<b>NO. OF PCS/</b>	<b>PRICE</b>
		<b>LBS</b>	<b>BOX</b>	<b>PALLET</b>	
<b>HIGH STRESS &amp; HOT FORGED FORGED LIFT ARM MOUNTING PINS</b>					
AA301	CAT0; TYPE - ADJ. 5/8" PIN; 5/8" THREAD DIA 4" OVERALL LENGTH				
AA302	CAT1; TYPE - ADJ. 7/8" PIN DIA; 7/8" THREAD DIA 5 5/16" OVERALL LENGTH				
AA303	CAT1; TYPE - FORGED 7/8" PIN DIA; 7/8" THREAD DIA 5 1/2" OVERALL LENGTH				
AA304	CAT1; TYPE - ADJ XL 7/8" PIN DIA; 7/8" THREAD DIA 6 1/4" OVERALL LENGTH				
AA305	CAT1; TYPE - FORGED XL 7/8" PIN DIA; 7/8" THREAD DIA 6 1/2" OVERALL LENGTH				
AA306	CAT 1 TO 2; TYPE - ADJ. 1 1/8" PIN DIA; 7/8" THREAD DIA 5 3/16" OVERALL LENGTH				
AA307	CAT 1 TO 2; TYPE - FORGED 1 1/8" PIN DIA; 7/8" THREAD DIA 5 1/4" OVERALL LENGTH				
AA308	CAT 1 TO 2; TYPE - FORGED XL 1 1/8" PIN DIA; 7/8" THREAD DIA 6 5/16" OVERALL LENGTH				
AA309	CAT 2 TO 1; TYPE - FORGED 7/8" PIN DIA; 1 1/8" THREAD DIA 5 3/4" OVERALL LENGTH				
AA310	CAT 1 & 2; TYPE - FORGED 7/8" & 1 1/8" PIN DIA; 1 " THREAD DIA 8" OVERALL LENGTH				
AA311	CAT 2; TYPE -ADJ. 1 1/8" PIN DIA; 1 1/8" THREAD DIA 6 1/4" OVERALL LENGTH				
AA312	CAT 2; TYPE -FORGED 1 1/8" PIN DIA; 1 1/8" THREAD DIA 6 1/4" OVERALL LENGTH				
AA313	CAT 2 TO 3; TYPE -FORGED 1 7/16" PIN DIA; 1 1/8" THREAD DIA 5 7/8" OVERALL LENGTH				
AA314	CAT 3; TYPE -FORGED 1 7/16" PIN DIA; 1 3/8" THREAD DIA 5 7/8" OVERALL LENGTH				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>DRAW BARS</b>					
AA400	CAT 0; 7 HOLES; A- 20 "; B- 5/8" C- 5/8"; D- 5/8" E- 2" RED				
AA401	CAT 0; 7 HOLES; A- 20 "; B- 3/4" C- 7/8"; D- 1" E- 2 1/2" BLACK				
AA402	CAT 1; 11 HOLES; A- 26 "; B- 3/4" C- 7/8"; D- 1" E- 2 1/2" RED				
AA403	CAT 2; 11 HOLES; A- 26 "; B- 3/4" C- 1 1/8"; D- 1 1/4" E- 3" BLUE				
AA404	CAT 2; 13 HOLES; A- 32 "; B- 3/4" C- 1 1/8"; D- 1 1/4" E- 3" GREEN				
AA405	CAT 2; 7 HOLES; A- 32 "; B- 1 1/8" C- 1 1/8"; D- 1 1/4" E- 3" RED				
AA406	CAT 3; 5 HOLES; A- 38"; B- 1 1/4" C- 1 7/16"; D- 1 3/4" E- 3 1/2" BLACK				
AA407	CAT 1; 11 HOLES; A- 26 MM; B- 25/32 MM C- 7/8"; D- 1 3/16" E- 2 1/2" RED				
AA408	CAT 2; 11 HOLES; A- 26 MM; B- 25/32 MM C- 1 1/8"; D- 1 3/16" E- 2 1/2" RED				
AA1705	CAT 1; 9 HOLES; A- 657 MM; B- 20 MM C- 22MM; D- 30MM; E- 60 MM RED				
AA1706	CAT 2; 9 HOLES; A- 661 MM; B- 20 MM C- 28.5MM; D- 30MM; E- 60 MM RED				
AA1707	CAT 2; 7 HOLES; A- 842 MM; B- 25 MM C- 28.5MM; D- 30MM; E- 60 MM RED				
AA1708	CAT 2; 7 HOLES; A- 842 MM; B- 28 MM C- 28.5MM; D- 30MM; E- 60 MM RED				
AA1709	CAT 2; 7 HOLES; A- 862 MM; B- 33 MM C- 28.5MM; D- 30MM; E- 80 MM RED				
AA1710	CAT 3; 11 HOLES; A- 965 MM; B- 33 MM C- 36MM; D- 45MM; E- 90 MM RED				
AA1711	CAT 2; 9 HOLES; A-820 MM; B- 33 MM C- 28.5MM; D-30MM; E- 80 MM RED				
AA1712	CAT 1; 7 HOLES; A-680 MM; B- 22 MM C- 22MM; D-25MM; E- 63MM RED				
AA1713	CAT 2; 7 HOLES; A-780 MM; B- 28 MM C- 28MM; D-33MM; E- 75 MM RED				


**STABILISER ASSEMBLIES**




PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>STABILIZER PINS</b>					
AA450	7/8" PIN DIA DIA;5/8" THREAD DIA 2 5/8" OVERALL LENGTH				
AA451	7/8" PIN DIA DIA;5/8" THREAD DIA 2 7/8" OVERALL LENGTH				
AA452	7/8" PIN DIA DIA;5/8" THREAD DIA 3 1/8" OVERALL LENGTH				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>STABILIZER ARMS &amp; KITS</b>					
AA475	CAT 1; 3/8" X 1 3/4" 7/8" PIN HOLES; CENTER DIST 31 9/16"				
AA476	CAT 1; 3/8" X 1 3/4" 7/8" PIN HOLES; CENTER DIST 33 1/8"				
AA477	CAT 1; 3/8" X 1 3/4" 7/8" PIN HOLES; CENTER DIST 31 1/8" & 34 3/4"				
AA478	CAT 1; 7/8" THREAD 7/8" PIN HOLES; CENTER DIST 27 1/2" - 35"				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>LINK PLATES</b>					
AA500					
AA501					
AA502					



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>ADJUSTABLE CLEVIS PINS</b>					
AA201	3/16" X 1";3/32" HOLE SIZE; A- 5/8"2 HOLES				
AA2042	5/8" X 4";5/32" HOLE SIZE; A-2 1/4"7HOLES				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>HAIR CLIP COTTER - SPRING STEEL</b>					
AA2101	A- 5/64"; b- 1 5/8" ; PIN SIZE - 1.4: - 7/16"				
AA2102	A- 3/32"; B- 1 11/16" ; PIN SIZE - 5/16 - 1/2"				
AA2103	A- 1/8"; B- 2 1/2" ; PIN SIZE - 3/6- 11/16"				
AA2104	A- 5/32"; B- 3" ; PIN SIZE - 1/2- 7/8"				
AA2105	A- 11/64"; B- 4 1/8" ; PIN SIZE - 3/8- 11/16"				
AA2106	A- 13/64"; B- 4" ; PIN SIZE - 5/8- 1 1/16"				
AA2107	A- 1/4"; B- 4 1/2" ; PIN SIZE -3/4- 1 1/4"				
AA2108	A- 9/32"; B- 6" ; PIN SIZE - 1" - 1 1/2"				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>LINCH PINS</b>					
AA560	CAT 0; 3/16" PIN DIA; TYPE: STD				
AA561	CAT 0; 3/16" PIN DIA; TYPE: W/ CHAIN				
AA562	CAT 1 & 2; 1/4" PIN DIA; TYPE: STD				
AA563	CAT 1 & 2; 3/4" PIN DIA; TYPE: W/ CHAIN				
AA564	CAT 1 & 2; 5/16" PIN DIA; TYPE: STD				
AA565	CAT 1 & 2; 5/16" PIN DIA; TYPE: W/ CHAIN				
AA566	CAT 1 & 2; 3/8" PIN DIA; TYPE: STD				
AA567	CAT 1 & 2; 3/8" PIN DIA; TYPE: W/ CHAIN				
AA568	CAT 1 & 2; 7/16" PIN DIA; TYPE: STD				
AA569	CAT 1 & 2; 7/16" PIN DIA; TYPE: W/ CHAIN				
AA570	CAT 1 ,2 & 3; 7/16" PIN DIA; TYPE: LONG				
AA571	CAT 1 ,2 & 3; 7/16" PIN DIA; TYPE: BLACK RING HD				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>P.T.O. ACCESSORIES</b>					
AA0623	1/4" SHAFT DIA; 1 3/4" USABLE ; ROUND				
AA0624	1/4" SHAFT DIA; 2 1/2" USABLE ; SQUARE				
AA0625	5/16" SHAFT DIA; 2 1/4" USABLE ; ROUND				
AA0626	5/16" SHAFT DIA;2 1/4" USABLE ; SQUARE				
AA0627	3/8" SHAFT DIA; 2 1/4" USABLE ; ROUND				
AA0628	3/8" SHAFT DIA; 2 1/4" USABLE ; SQUARE				
AA0629	5/16" SHAFT DIA; 1 3/4" USABLE ; ROUND				
AA0629A	3/8" SHAFT DIA; 1 1/2" USABLE ; ROUND				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>HEAD FORGED HITCH PINS</b>					
AA770	1/2" DIA. 4 1/4" USABLE LENGTH				
AA771	5/8" DIA. 4 1/4" USABLE LENGTH				
AA772	5/8" DIA. 6 1/4" USABLE LENGTH				
AA773	3/4" DIA. 4 1/4" USABLE LENGTH				
AA774	3/4" DIA. 6 1/4" USABLE LENGTH				
AA775	7/8" DIA. 4 1/4" USABLE LENGTH				
AA776	7/8" DIA. 6 1/4" USABLE LENGTH				
AA777	1" DIA. 4 1/4" USABLE LENGTH				
AA778	1" DIA. 6 1/4" USABLE LENGTH				
AA779	1 1/8" DIA. 6 1/4" USABLE LENGTH				
AA780	1 1/4" DIA. 7 1/2" USABLE LENGTH				
AA781	1 3/8" DIA. 7 1/2" USABLE LENGTH				
AA782	1 1/2" DIA. 7 1/2" USABLE LENGTH				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>HANDLE-LOCK HITCH PINS</b>					
AA790	1/2" DIA. 4 1/4" USABLE LENGTH				
AA791	5/8" DIA. 4 1/4" USABLE LENGTH				
AA792	3/4" DIA. 4 1/4" USABLE LENGTH				
AA793	3/4" DIA. 6 1/4" USABLE LENGTH				
AA794	7/8" DIA. 6 1/4" USABLE LENGTH				
AA795	1" DIA. 6 1/4" USABLE LENGTH				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>BENT HITCH PINS</b>					
AA796	1/2" DIA. 3" USABLE LENGTH				
AA797	5/8" DIA. 3" USABLE LENGTH				
AA798	3/4" DIA. 3 1/2" USABLE LENGTH				
AA799	7/8" DIA. 3 1/2" USABLE LENGTH				




















PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>CULTIVATOR POINTS</b>					
	SUPERFINE QUALITY CULTIVATOR POINTS MADE FROM HIGH GRADE SPRING STEEL, HARDENED AND TAMPERED				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>THREADED BARS</b>					
	AVAILABLE IN DIAMETER FROM 1/4" TO 1 - 3/4" LENGTH LENGTH SIZE UP TO 8 FEET				

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>PTO ADAPTORS</b>					
AA900	FORGED INCREASER - 0332-00018				
	FEMALE - 1 1/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 1 1/8"				
	OVERALL - 3"				
AA901	SLEEVE INCREASER - 0332-00352				
	FEMALE - 1 1/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 0				
	OVERALL - 2 1/4"				
AA902	SLEEVE INCREASER - 0332-00363				
	FEMALE - 1 1/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 0				
	OVERALL - 1 7/8"				
AA903	FORGED INCREASER - 0332-03531				
	FEMALE - 1 1/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 2 1/2"				
	OVERALL - 4 5/8"				
AA904	FORGED REDUCER - 0332-00400				
	FEMALE - 1 3/8" X 6"				
	MALE - 1 1/8" X 6"				
	EXTENDS PTO - 2 3/4"				
	OVERALL - 5 3/8"				

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>PTO ADAPTORS</b>					
AA905	FORGED EXTENDER - 0332-00378				
	FEMALE - 1 3/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 3"				
	OVERALL - 5 3/8"				
AA906	21 TO 6 SPLINE - 0332-00373				
	1000 TO 540 RPM				
	FEMALE - 1 3/8" X 21"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 3 1/4"				
	OVERALL - 5 7/8"				
AA907	21 TO 6 SPLINE QR - 0332-01375				
	1000 TO 540 RPM				
	FEMALE - 1 3/8" X 21"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 4 1/8"				
	OVERALL - 6 3/8"				
AA908	QR EXTENDER - 0332-00010				
	FEMALE - 1 3/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 4 1/8"				
	OVERALL - 6 3/8"				
AA909	21 QR EXTENDER - 0332-02121				
	1000 RPM				
	FEMALE - 1 3/8" X 21"				
	MALE - 1 3/8" X 21"				
	EXTENDS PTO - 4 1/8"				
	OVERALL - 5 7/8"				
AA910	6 TO 21 SPLINE QR - 0332-00013				
	1000 TO 540 RPM				
	FEMALE - 1 3/8" X 6"				
	MALE - 1 3/8" X 21"				
	EXTENDS PTO - 4 1/8"				
	OVERALL - 5 7/8"				
AA912	20 TO 6 SPLINE HEAVY DUTY - 0332-01490				
	FEMALE - 1 3/4" X 20"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 5"				
	OVERALL - 7 7/8"				
AA914	20 TO 21 SPLINE HEAVY DUTY - 0332-01491				
	FEMALE - 1 3/4" X 20"				
	MALE - 1 3/8" X 21"				
	EXTENDS PTO - 5 1/2"				
	OVERALL - 7 7/8"				

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>PTO ADAPTORS</b>					
AA915	OVER RUNNING CLUTCH EXTENDER - 0331-00660				
	FEMALE - 1 3/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 3 3/4"				
	OVERALL - 6 3/4"				
AA916	OVER RUNNING CLUTCH INCREASER - 0331-00670				
	FEMALE - 1 1/8" X 6"				
	MALE - 1 3/8" X 6"				
	EXTENDS PTO - 3 3/4"				
	OVERALL - 6 3/4"				

BB70




BB55



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>BLADE BOLT / CUTTER BOLT</b>					
BB70	BLADE BOLT NPS	1			
BB55	ROTARY CUTTER BLADE BOLT, KEY WAY TO LOCK BOLT IN PLACE	2			



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>TRACTOR DRAWBAR HOOK</b>					
AA30834	HOT FORGED HIGH CARBON FITS ALL TRACTOR DRAWBARS WITH 3/4" HOLES , UP TO AND INCLUDING 1 1/4" THICK USE WITH CHAIN SIZES 5/16" - 1/2" INCLUDING HIGH TEST CHAIN				



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>T-HANDLE CLEVIS PINS</b>					
AA30812	1/2" DIA; 2 1/2" USABLE LENGTH				
AA30813	5/8" DIA; 3 1/8" USABLE LENGTH				
AA30814	3/4" DIA; 3 1/4" USABLE LENGTH				
AA30815	7/8" DIA; 3 3/4" USABLE LENGTH				
AA30816	1" DIA; 4 1/4" USABLE LENGTH				




PART NO.	DESCRIPTION	MAX WWL	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>FARM STRAIGHT CLEVISES</b>					
AA30158	1/2" PIN DIA; 5/8" X 3 1/4" BODY SIZE	6,000			
AA30134	5/8" PIN DIA; 3/4" X 3 3/4" BODY SIZE	12,000			
AA30178	3/4" PIN DIA; 7/8" X 3 1/4" BODY SIZE	16,000			
AA30187	3/4" PIN DIA; 7/8" X 4 1/4" BODY SIZE	16,000			
AA30190	7/8" PIN DIA; 15/16" X 4 5/8" BODY SIZE	20,000			
AA30195	1" PIN DIA; 1" X 5 5/16" BODY SIZE	25,000			



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>FARM SCREW PIN CLEVISES</b>					
BLACK POWDER COATED FINISH					
ZINC PLATED PIN & CLIP					
AA30646	1/4" X 1 1/8" PIN DIA; 5/16" PIN SIZE				
AA30647	5/16" X 1 1/4" PIN DIA; 3/8" PIN SIZE				
AA30648	3/8" X 1 7/16" PIN DIA; 7/16" PIN SIZE				
AA30649	7/16" X 1 11/16" PIN DIA; 1/2" PIN SIZE				
AA30650	1/2" X 1 15/16" PIN DIA; 5/8" PIN SIZE				
AA30651	5/8" X 2 1/2" PIN DIA; 3/4" PIN SIZE				
AA30652	3/4" X 3" PIN DIA; 7/8" PIN SIZE				
AA30653	7/8" X 3 1/4" PIN DIA; 1" PIN SIZE				
AA30654	1" X 3 3/4" PIN DIA; 1 1/8" PIN SIZE				




PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>FARM UTILITY CLEVISES</b>					
AA30546	1/4" x 7/8" BODY SIZE; 5/16" PIN SIZE				
AA30547	5/16" x 1" BODY SIZE; 3/8" PIN SIZE				
AA30548	3/8" x 1 1/4" BODY SIZE; 7/16" PIN SIZE				
AA30549	7/16" x 1 1/2" BODY SIZE; 1/2" PIN SIZE				
AA30550	1/2" x 1 11/16" BODY SIZE; 5/8" PIN SIZE				
AA30551	5/8" x 2" BODY SIZE; 3/4" PIN SIZE				




PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>CLEVIS DOUBLE HOLE</b>					
AA30920	D- 14mm; L - 72 mm				
	L1 - 50 mm; H - 18 mm				



PART NO.	DESCRIPTION	MAX WWL	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>FARM DOUBLE CLEVISES</b>					
	ONE PIECE FORGED STEEL ,				
	HEAT TREATED PINS;				
	USE WITH HIGH TEST CHAIN				
AA30605	1/4" OR 5/16" CHAIN SIZE	4700			
AA30606	3/8" CHAIN SIZE	6600			
AA30608	7/16" OR 1/2" CHAIN SIZE	11300			
AA30610	5/8" CHAIN SIZE	18000			



PART NO.	DESCRIPTION	MAX WWL	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>GENERAL PURPOSE CLEVIS</b>					
AA30465	HOT FORGED WITH HEAT TREATED	10000			
	ROUND PIN FOR EXTRA STRENGTH				
	3/4" BODY & PIN				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>WEATHER CAPS</b>					
AA5001	1 1/2" ; MIN TO MAX OD: 1 1/2"- 1 11/16"				
AA5002	1 3/4" ; MIN TO MAX OD: 1 3/4"- 1 15/16"				
AA5003	2" ; MIN TO MAX OD: 2"- 2 3/16"				
AA5004	2 1/4" ; MIN TO MAX OD: 2 1/4"- 2 7/16"				
AA5005	2 1/2" ; MIN TO MAX OD: 2 1/2"- 2 11/16"				
AA5006	2 3/4" ; MIN TO MAX OD: 2 3/4"- 2 15/16"				
AA5007	3" ; MIN TO MAX OD: 3"- 3 3/16"				
AA5008	3 1/4" ; MIN TO MAX OD: 3 1/4"- 3 7/16"				
AA5009	3 1/2" ; MIN TO MAX OD: 3 1/2"- 3 11/16"				
AA5010	3 3/4" ; MIN TO MAX OD: 3 3/4"- 3 15/16"				
AA5011	4" ; MIN TO MAX OD: 4"- 4 3/16"				
AA5012	4 1/4" ; MIN TO MAX OD: 4 1/4"- 4 7/16"				
AA5013	4 1/2" ; MIN TO MAX OD: 4 1/2"- 4 11/16"				
AA5014	5" ; MIN TO MAX OD: 5"- 5 1/4"				
AA5015	57 mm ; EXHAUST OD - 50 mm				

PLAIN



NOTCH



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BUNDLE	NO. OF PCS/ CONTAINER	PRICE
<b>DISC BLADES</b>					
KTI163118P	16" PLAIN DISC BLADE	6.28	100	7360	
KTI163118N	16" NOTCH DISC BLADE				
	3 mm and 1 1/8 HOLE				
	HIGH CARBON HIGH MANGANESE STEEL				
	WITH 38-42 HRC HARDNESS				
	BLADES WILL BE POWDER COATED				
	IN BLACK COLOR				
KTI 1831P	18" PLAIN DISC BLADE	8.16	100	5675	
KTI 1831N	18" NOTCH DISC BLADE				
	3 mm 1" SQUARE HOLE				
	HIGH CARBON HIGH MANGANESE STEEL				
	WITH 38-42 HRC HARDNESS				
	BLADES WILL BE POWDER COATED				
	IN BLACK COLOR				