



ROUND SCREW JACK

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>ROUND SCREW JACKS</b>					
<b>A-FRAME DROP THROUGH JACKS</b>					
	FOR MOUNTIUNG ON A-FRAME				
	COUPLERS WITH A BRACKET FOR				
	BOLT-ON OR WELD-ON APPLICATIONS				
	ROLLED ACME THREADS OF THE				
	INNDER SCREW				
	EASY CRACKING 8 TURNS PER INCH				
ATP 701056	TOPWIND; CAP. - 2000 LBS;LIFT - 115"	9	200	4000	
	A RETRACTED - 7 3/4" B RETRACTED - 21"				



P 701065



ATP1701048

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
ATP 701065	SIDE WIND 7000 - 8000 LBS JACK		100		
	HEAVY DUTY SQUARE JACK				
	(W/ PAINT)				
ATP1701048	7000lbs. JACKS TOP WIND		100		
	HEAVY DUTY SQUARE JACK				
	( W/ PAINT)				



ATPEM4750

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
ATPEM4750	BULLDOG-TYPE 12K SIDE PIN SPRING		50		
	LOADED SIDE WIND DROPLEG JACK				
	12.5 IN LIFT 182400 ( W/ PAINT)				

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>HEAVY DUTY DROP LEG JACKS</b>					
	BOLT - ON CENTER BOLT SWIVEL JACKS				
ATP701049	CAP. 10000 LBS. LIFT - 12 1/2" + 13 1/2"				
	B RETRACTED - 30" ; SIDE WIND				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>HEAVY DUTY DROP LEG JACKS ADJUSTABLE FORGED COUPLER</b>					
ATP111047	TRAILER GVW - 7000 LBS; 2" BALL SIZE		250		
ATP111048	TRAILER GVW - 12500LBS; 2 5/16" BALL SIZE		200		



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>FORGED ADJUSTABLE COUPLER</b>					
ATPTC-15B	TRAILER GVW - 13000 LBS; 2" BALL SIZE	9.74	150	5700	
ATPTC-16BS	TRAILER GVW - 15000LBS; 2 5/16" BALL SIZE	11.44	140	4900	



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>A-FRAME COUPLER DROP FORGED</b>					
ATP-703016F	BALL SIZE - 2" CHANNEL WIDTH – A FRAME ; TRAILER GVW – 7000 LBS	13.68	150	3000	
ATP-703017F	BALL SIZE – 2 5/16" CHANNEL WIDTH – A FRAME ; TRAILER GVW – 10000 LBS	17.4	120	2400	



ATP- 703016

ATP- 703017



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	PALLET	CONTAINER	
<b>A-FRAME STAMPED COUPLER</b>					
ATP-703016	BALL SIZE - 2" ; CHANNEL WIDTH - A FRAME; SAE CLASS III TRAILER GVW - 5,000 LBS	6.8	250	5000	
ATP-703017	BALL SIZE - 2 5/16" ; CHANNEL WIDTH - A FRAME; SAE CLASS IV TRAILER GVW - 10,000 LBS	8.3	250	4500	
ATPSCL-8	2" A FRAME COUPLER WITH PAINT - 8000 LBS CAPACITY		250		



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	PALLET	CONTAINER	
<b>A-FRAME STAMPED COUPLER</b>					
ATP-TC-20B	2" A-FRAME STAMPED COUPLER ; 8000 LBS CAPACITY	8.1	250	5000	
ATP-TC-14B	2 5/16" A-FRAME STAMPED COUPLER ; 14000 LBS CAPACITY	8.33	250	5000	



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	PALLET	CONTAINER	
<b>CAST ADJUSTABLE COUPLER</b>					
ATP-TC-12BS	2 5/16" CAST ADJUSTABLE COUPLER ; 15000 LBS CAPACITY	12.98	200	2800	



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>CAST A FRAME COUPLER</b>					
ATPJY-TC-42B	2 5/16" CAST A FRAME COUPLER ; 15000 LBS CAPACITY Jack hole diameter : 2-3/8" Pin hole diameter : 5/16" Overall dimensions : 17-1/2" long x 10-3/4" wide		120	1920	



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>QUICK-LOCK TRAILER COUPLER</b>					
ATP111012	2" BALL SIZE; 2" CHANNEL WIDTH SAE CLASS II; TRAILER GVW - 3500 LBS				
ATP111012A	2" BALL SIZE; 3" CHANNEL WIDTH SAE CLASS III; TRAILER GVW - 6000 LBS				









HI-INT-180018



HI-INT-180012

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>CONSPICUITY REFLECTIVE TAPE</b>					
HI-INT-1800	11" x 7" RED/WHITE COLOR FMVSS 108 DOT APPROVED 2" x 50 yard per roll MICRO GLASS BEAD REFLECTIVE TECHNOLOGY	2.92 per roll	10 rolls 1 roll/inner box		
HI-INT-1800	6" x 6" RED/WHITE COLOR FMVSS 108 DOT APPROVED 2" x 50 yard per roll MICRO GLASS BEAD REFLECTIVE TECHNOLOGY	2.92 per roll	10 rolls 1 roll/inner box		

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
		LBS	BOX	PALLET	
<b>LED TRAILER LIGHTS</b>					
ATP 1- 	4" STOP TURN & TAIL (GROMMETS & PLUG)				
ATP 1- 	OVAL STOP TURN & TAIL (GROMMETS & PLUG)				
ATP1- 	MINI LIGHT BAR				
ATP1- 	SEALED LIGHT BAR				
ATP 1-440 /ATP1-440L 	COMBINATION LIGHT				
ATP 1- M114A/R 	RECTANGULAR CLEARANCE SIDE MARKER LIGHT WITH REFLEX				

ATP -13-250  
 ATP -13-260  
 ATP -13-270  
 ATP -13-271



ATP -13-310



ATP - 13-280



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	DRUM	PALLET	
<b>SAFETY TRAILER CHAIN</b>					
ATP -13-250	1/4" X 48" SAFETY CHAIN 5200 LBS NACM STANDARD G30 WITH 2 HOOK ( SAFETY LATCH)				
ATP -13-260	3/16" X 48" SAFETY CHAIN NACM STANDARD G30 WITH 2 HOOK ( SAFETY LATCH)				
ATP -13-270	1/4" X 54" SAFETY CHAIN- 5200LBS NACM STANDARD G30 WITH 2 HOOK ( SAFETY LATCH)				
ATP -13-271	1/4" X 27" ; 3/8" DIAMETER CHAIN IN 27" LENGTHS WITH 3/8" DIAMETER HOOK ON BOTH ENDS CLASS III RATING)				
ATP -13-310	SAFETY CHAIN 3/8" DIAMETER, 36" LENGTH 16,000 LBS CAPACITY				
ATP 13-410	5/16 X 36" GOOSENECK SAFETY CHAIN ASTM 80 GRADE 30 WITH 1 CLEVIS HOOK 16,000 LBS CAPACITY				
ATP-13-280	1/4" X 27" SAFETY CHAIN 5200 LBS NACM STANDARD G30 WITH 1 S HOOK ( SAFETY LATCH)				
0836-0616	CHAIN GR 70 w/CLEVIS HOOK BOTH ENDS 1/4"x16'				
0836-0618	CHAIN GR 70 w/CLEVIS HOOK BOTH ENDS 1/4"x18'				
	GRADE 80 CONTINUOUS SHORT LINKS				
	1/4 chain ZINC PLATING; 300 ft in a drum				

ATP-B38 /  
ATP-B38W



ATP-B38PN  
ATP- B38PN  
ATP-B3ZY  
ATP-B38BZY  
ATP-B38RZY



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>SAFETY TRAILER CHAIN</b>					
ATP-B38	FORGED LASHING RING W/ MOUNTING BRACKET				
ATP-B38W	1/2" FORGED LASHING RING W/ WELD ON BRACKET	0.92	50	2250	
ATP-B40W	5/8" FORGED LASHING RING W/ WELD ON BRACKET	1.76	30	1350	
ATP-B48W	1" FORGED LASHING RING W/ WELD ON BRACKET ; BRACKET - 2 1/2" WIDE AND 3/8" THICK)	4.62	20	720	
ATP- B38PN	YELLOW ZINC PLATED RECESSED PAN				
ATP-B3ZY	YELLOW ZINC PLATED RING W/ BRACKET				
ATP-B38BZY	YELLOW ZINC PLATED BRACKET				
ATP-B38RZY	YELLOW ZINC PLATED D-RING				

AH-001-DH



AH-001 NS



BH-01 / 02

TH 4.5-2.25



ATP-W427

ATPBAH10



C14 CR /D387  
C38CR/ D388




PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	PALLET	CONTAINER	
<b>HINGES</b>					
AH-001-DH	DUMP TRAILER HINGE (Jack Support)	9.9	200		
AH- 001 NS	HEAVY DUTY DOOR HINGE	2.2	1000		
	STRAP HINGE, STEEL CONSTRUCTION, REMOVABLE PIN USING NUT & BOLT				
	W/ NYLON WASHERS, GREASE				
BH- 01	BULLET HINGE SMALL - 4"	0.34	200 pcs/box		
BH-02	BULLET HINGE BIG - 6"	0.84	70 pcs/box		
TH 4.5-2.25	TRAILER HINGE LENGTH - 4 1/2" ; WIDTH - 2 1/4"	1.168	50		
ATP-W427	10" OFFSET BARREL HINGE W/ GREASE FITTINGS	1.708			
C14 CR /D387	5/16 FORGED CHAIN RETAINERS		2700		
C38CR/ D388	3/8 FORGED CHAIN RETAINERS		2000		
ATPBAH10	10" BARREL HINGE				

AH10/ AH01



ATP-AH2595



P781



P342C



UB 5-3.25



UB



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ CONTAINER	PRICE
<b>HINGES</b>					
AH10/ AH01	3/4 ROUND PIN WITH HOLE 7/16" NON PLATED (STEP PIN/TRAILER DOOR PIN / STABILIZER PIN)	0.27	280		
ATP-AH2595	SPRING LOADED GATE LATCH	0.88	40		
P781	STABILIZER PIN 7/8" PIN DIA; 3/8" USABLE LENGTH ; 2 5/8" OVERALL LENGTH ; 5/8" NF THREAD DIA	0.397			
P342C		0.282			
UB 5-3.25	U BOLT CENTER INSIDE LENGTH - 3 1/4" ; INSIDE WIDTH - 5 cm; DIAMETER - 0.85	0.189			
UB	U BOLT	0.273			




PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>EQUALIZER TRIANGLE</b>					
AH10/ AH01	EQUALIZER TRIANGLE				





JKFTS



JKSP

ATP - 701075-R



JKFT-L

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	PALLET	CONTAINER	
	<b>SMALL JACK FOOT WITH BOLT</b>				
JKFTS	Small Jack Foot with Bolt	0.66	50	1350	
	<b>Small Jack Foot</b>				
	length - 11.5 cm, width - 5.8 cm				
	thickness - 3.18 mm,				
	small hole inside diameter - 7.9 mm				
	big hole inside diameter - 10.15 mm				
	<b>Bolt</b>				
	length - 7.5 cm; length (thread) - 1.5 cm				
	diameter - 9.2 mm, head - 15.9 mm				
JKSP	<b>Jack Plate</b>	1.122	50	900	
	length 1 - 22.0 cm; length 2 - 14.0 cm				
	thickness - 2.85 mm; inside diameter - 5.8 cm				
JKFT-L	JACK FOOT FOR TOP WIND JACK - LARGE		100		

CH-EY4.5



CH-EY 5



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	CONTAINER	
	<b>HINGES</b>				
CH-EY4.5	CHAIN EYELET - 4 1/2"	0.15			
CH-EY 5	CHAIN EYELET - 5"	0.176			



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
	<b>HAIR CLIP COTTER - SPRING STEEL</b>				
AA2101	A- 5/64"; b- 1 5/8" ; PIN SIZE - 1.4: - 7/16"	0.01	2500	112500	
AA2102	A- 3/32"; B- 1 11/16" ; PIN SIZE - 5/16 - 1/2"	0.01	2000	90000	
AA2103	A- 1/8"; B- 2 1/2" ; PIN SIZE - 3/6- 11/16"	0.02	2000	90000	
AA2104	A- 5/32"; B- 3" ; PIN SIZE - 1/2- 7/8"	0.04	1000	45000	
AA2105	A- 11/64"; B- 4 1/8" ; PIN SIZE - 3/8- 11/16"	0.08	1000	45000	
AA2106	A- 13/64"; B- 4" ; PIN SIZE - 5/8- 1 1/16"	0.09	500	22500	
AA2107	A- 1/4"; B- 4 1/2" ; PIN SIZE - 3/4- 1 1/4"	0.1	500	22500	
AA2108	A- 9/32"; B- 6" ; PIN SIZE - 1" - 1 1/2"	0.2	200	9000	



AA568 -C



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>LINCH PINS</b>					
AA560	CAT 0; 3/16" PIN DIA; TYPE: STD	0.03	2000	72000	
AA561	CAT 0; 3/16" PIN DIA; TYPE: W/ CHAIN	0.05	1600	57600	
AA562	CAT 1 & 2; 1/4" PIN DIA; TYPE: STD	0.07	700	25000	
AA563	CAT 1 & 2; 3/4" PIN DIA; TYPE: W/ CHAIN	0.1	500	18000	
AA564	CAT 1 & 2; 5/16" PIN DIA; TYPE: STD	0.1	500	18000	
AA565	CAT 1 & 2; 5/16" PIN DIA; TYPE: W/ CHAIN	0.2	400	14400	
AA566	CAT 1 & 2; 3/8" PIN DIA; TYPE: STD	0.1	500	18000	
AA567	CAT 1 & 2; 3/8" PIN DIA; TYPE: W/ CHAIN	0.2	400	14400	
AA568	CAT 1 & 2; 7/16" PIN DIA; TYPE: STD	0.1	400	14400	
AA569	CAT 1 & 2; 7/16" PIN DIA; TYPE: W/ CHAIN	0.2	300	10800	
AA570	CAT 1 ,2 & 3; 7/16" PIN DIA; TYPE: LONG	0.14	300	10800	
AA571	CAT 1 ,2 & 3; 7/16" PIN DIA; TYPE: BLACK RING HD	0.13	300	10800	
AA568 -C	CAT 1 & 2; 7/16" PIN DIA; TYPE: STD; WITH CHAIN	0.185	400	14400	



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>BENT HITCH PINS</b>					
AA796	1/2" DIA. 3" USABLE LENGTH	0.35	100	4500	
AA797	5/8" DIA. 3" USABLE LENGTH	0.5	100	3600	
AA798	3/4" DIA. 3 1/2" USABLE LENGTH	0.8	60	2160	
AA799	7/8" DIA. 3 1/2" USABLE LENGTH	1	50	1800	



PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>P.T.O. ACCESSORIES</b>					
AA0623	1/4" SHAFT DIA; 1 3/4" USABLE ; ROUND	0.06	800	21600	
AA0624	1/4" SHAFT DIA; 2 1/2" USABLE ; SQUARE	0.08	600	16200	
AA0625	5/16" SHAFT DIA; 2 1/4" USABLE ; ROUND	0.09	400	10800	
AA0626	5/16" SHAFT DIA; 2 1/4" USABLE ; SQUARE	0.09	400	10800	
AA0627	3/8" SHAFT DIA; 2 1/4" USABLE ; ROUND	0.14	300	8100	
AA0628	3/8" SHAFT DIA; 2 1/4" USABLE ; SQUARE	0.14	300	8100	
AA0629	5/16" SHAFT DIA; 1 3/4" USABLE ; ROUND	0.08	600	16200	
AA0629A	3/8" SHAFT DIA; 1 1/2" USABLE ; ROUND	0.11	500	13500	



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>HEAD FORGED HITCH PINS</b>					
AA770	1/2" DIA. 4 1/4" USABLE LENGTH	0.444	100	2500	
AA771	5/8" DIA. 4 1/4" USABLE LENGTH	0.6	70	1890	
AA772	5/8" DIA. 6 1/4" USABLE LENGTH	0.8	50	1350	
AA773	3/4" DIA. 4 1/4" USABLE LENGTH	0.9	50	1350	
AA774	3/4" DIA. 6 1/4" USABLE LENGTH	1.1	40	1080	
AA775	7/8" DIA. 4 1/4" USABLE LENGTH	1.2	40	1080	
AA776	7/8" DIA. 6 1/4" USABLE LENGTH	1.4	35	945	
AA777	1" DIA. 4 1/4" USABLE LENGTH	1.5	35	945	
AA778	1" DIA. 6 1/4" USABLE LENGTH	1.9	30	810	
AA779	1 1/8" DIA. 6 1/4" USABLE LENGTH	2.4	25	675	
AA780	1 1/4" DIA. 7 1/2" USABLE LENGTH	3.8	90	540	
AA781	1 3/8" DIA. 7 1/2" USABLE LENGTH	4.5	15	405	
AA782	1 1/2" DIA. 7 1/2" USABLE LENGTH	5.5	10	270	



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>HANDLE-LOCK HITCH PINS</b>					
AA790	1/2" DIA. 4 1/4" USABLE LENGTH	0.5	100	4500	
AA791	5/8" DIA. 4 1/4" USABLE LENGTH	0.7	100	4500	
AA792	3/4" DIA. 4 1/4" USABLE LENGTH	1	50	2500	
AA793	3/4" DIA. 6 1/4" USABLE LENGTH	1.2	40	2000	
AA794	7/8" DIA. 6 1/4" USABLE LENGTH	1.5	30	1800	
AA795	1" DIA. 6 1/4" USABLE LENGTH	1.9	25	1500	



PART NO.	DESCRIPTION	WEIGHT	LENGTH	NO. OF PCS/	PRICE
		LBS	FEET	BOX	
<b>4 WAY FLAT CONNECTOR</b>					
	4- Way flat connector with Car		25	30	
	end or trailer end ( female or male end)		30	25	
	ground wire is 16 gauge and the		35	20	
	3 colors are 18 gauge		40	20	
	7 way plastic socket			100	
	7 way plastic socket			100	





PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>MOLDED WIRE HARNESS</b>					
5067001	7 WAY CONNECTOR; 6' LENGTH				
5067003	7 WAY CONNECTOR; 8' LENGTH				
5067005	7 WAY CONNECTOR; 4' LENGTH				
5067002	7 WAY CONNECTOR; 11' LENGTH				



ATP- YGB-18-3  
3 COLOR WIRE 1000 FT PER ROLL



ATP-1-14-2  
2 COLOUR WI 14 GAUGE  
WITH GRAY  
PLASTIC JACKET  
1000 FT PER ROLL



W/ 4 WAY FLAT PLUG,  
W/ 48" GROUND LEAD

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>TRAILER WIRING HARNESS</b>					
416YH	16' WIRING HARNESS				
420YH	20' WIRING HARNESS				
425YH	25' WIRING HARNESS				
430YH	30' WIRING HARNESS				
435YH	35' WIRING HARNESS				
440YH	40' WIRING HARNESS				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>4 POLE TRAILER CONNECTORS</b>					
5410-S	FLAT 4 POLE CONNECTOR SOCKET W/ 48" WIRE				
5410-P	FLAT 4 POLE CONNECTOR PLUG W/ 48" WIRE				
5410	FLAT 4 POLE CONNECTOR PLUG & SOCKET W/ 12" WIRE				
5410P -12	FLAT 4 POLE CONNECTOR PLUG W/ 12" WIRE				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>6 POLE TRAILER CONNECTORS</b>					
5405S	ROUND 6 POLE CONNECTOR SOCKET				
5403P	ROUND 6 POLE CONNECTOR PLUG				










7003P




PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>7 POLE TRAILER CONNECTORS</b>					
7001S	ROUND 7 POLE CONNECTOR SOCKET				
7003P	ROUND 7 POLE CONNECTOR PLUG				







PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>RECEIVER TUBE WITH COLLAR</b>					
706009	2" ID; 6" RECEIVER TUBE				
706008	2" ID; 8" RECEIVER TUBE				
706010	2" ID; 12" RECEIVER TUBE				

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	PALLET	CONTAINER	
<b>ELECTRIC BRAKE ASSEMBLY</b>					
K23-047-00	7" X 1 1/4" ELECTRIC BRAKE		420	10800	
K23-048-00	ASSEMBLY (2000 LB)				
K23-026-00	10" X 2 1/4" ELECTRIC BRAKE		168	4256	
K23-027-00	ASSEMBLY (3500 LB)				







PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>ELECTRIC BRAKE ASSEMBLY</b>					
					
K23-468-00	10" X 2 1/4" ELECTRIC BRAKE ASSEMBLY		168	4256	
K23-469-00	"NEV-R ADJUST" (3500 LB)				
					
K23-086-00	10" X 2 1/4" ELECTRIC BRAKE ASSEMBLY		168	3924	
K23-087-00	W/ PARKING (3500 LB)				
					
K23-105-00	12" X 2" ELECTRIC BRAKE		126	2784	
K23-106-00	ASSEMBLY (6000 LB)				
					
K23-180-00	DEXTER 12" X 2" ELECTRIC BRAKE		126	2784	
K23-181-00	ASSEMBLY (7000 LB)				
					
K23-464-00	12" X 2" ELECTRIC BRAKE ASSEMBLY		126	2784	
K23-465-00	NEV-R-ADJUST (7000 LB)				
					
K23-112-00	12" X 2" ELECTRIC BRAKE ASSEMBLY		126	2520	
K23-113-00	" W/ PARKING (7000 LB)				
					
K23-434-00	12 1/4" X 3 3/8" ELECTRIC BRAKE		90	1800	
K23-435-00	ASSEMBLY " NEV-R-ADJUST" (8000 LB)				
	4 HOLE; "ELECTRIC FORWARD SELF ADJUST"				
					
K23-450-00	12 1/4" X 3 3/8" ELECTRIC BRAKE ASSEMBLY		90	1800	
K23-451-00	" NEV-R-ADJUST" (10000 LB) ;7 HOLE				
	"ELECTRIC FORWARD SELF ADJUST"				








PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>ELECTRIC BRAKE ASSEMBLY</b>					
					
K23-438-00	12 1/4" X 4" ELECTRIC BRAKE ASSEMBLY		81	1620	
K23-439-00	NEV-R-ADJUST (10000 LB); 7 HOLE				
	"ELECTRIC FORWARD SELF ADJUST"				
					
K23-442-00	12 1/4" X 5" ELECTRIC BRAKE ASSEMBLY		63	1260	
K23-443-00	"NEV-R-ADJUST" (12000 LB); 7 HOLE				
	"ELECTRIC FORWARD SELF ADJUST"				
					
K23-446-00	12 1/4" X 5" ELECTRIC BRAKE ASSEMBLY		63	1260	
K23-447-00	NEV-R-ADJUST (15000 LB); 7 HOLE				
	"ELECTRIC FORWARD SELF ADJUST"				

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
		LBS			
<b>HYDRAULIC BRAKE</b>					
					
K23-312-00	10" x 2 1/4" HYDRAULIC BRAKE		156	3968	
K23-313-00	SINGLE SERVO				
					
K23-344-00	10"x 2 1/4" HYDRAULIC BRAKE		156	3968	
K23-345-00	FREE BACKING				
					
K23-338-00	12"x 2" HYDRAULIC BRAKE		117	2496	
K23-339-00	SINGLE SERVO				



PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>BOLTS IDLER HUB</b>					
					
008-091-05	2.0K 4.0"BC 4 BOLTS IDLER HUB; 1/2"-20UNF		280	7880	
	RACES (included); INNER RACE: L44610				
	OUTER RACE: L44610				
					
008-258-05	2.0K 4.5"BC 5 BOLTS IDLER HUB; 1/2"-20UNF		260	7280	
	RACES (included); INNER RACE: L44610				
	OUTER RACE: L44610 ; 5.5H F				
					
008-259-05	2.0K 4.5"BC 5 BOLTS IDLER HUB ; 1/2"-20UNF		210	6300	
	RACES (included); INNER RACE: L44610				
	OUTER RACE: L44610; 6.5H F				
					
008-256-7	3.5K 5.0"BC 5 BOLTS IDLER HUB ; 1/2"-20UNF		288	5760	
	RACES (included) ;INNER RACE: L44610				
	OUTER RACE: L68111				
					
008-404-80	5.2K-6.0K 5.5"BC 6 BOLTS IDLER HUB		175	3500	
	1/2"-20UNF ; RACES (included)				
	INNER RACE: 15245; OUTER RACE: 25520				
					
42865	7.0K 6.5"BC 8 BOLTS IDLER HUB; 1/2"-20UNF		120	2400	
	RACES (included); INNER RACE: 14276				
	OUTER RACE: 25520				




PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>BOLTS BRAKE DRUM</b>					
					
008-257-05	2.0K 4.5"BC 5 BOLTS BRAKE DRUM				
	1/2"-20UNF ; RACES (included)				
	INNER RACE: L44610 ; OUTER RACE: L44610				
<b>BOLTS DRUM</b>					
					
008-247-05	3.5K 4.5"BC 5 BOLTS DRUM 1/2"-20UNF		75	2025	
	RACES (included); INNER RACE: L68111				
	OUTER RACE: L44610				
					
008-247-12	3.5K 4.75"BC 5 BOLTS DRUM; 1/2"-20UNF		75	2025	
	RACES (included); INNER RACE: L68111				
	OUTER RACE: L44610				
					
008-249-07	3.5K 5.0"BC 5 BOLTS DRUM; 1/2"-20UNF		75	2025	
	RACES (included); INNER RACE: L68111				
	OUTER RACE: L44610				
					
008-249-05	3.5K 5.5"BC 5 BOLTS DRUM; 1/2"-20UNF		75	2025	
	RACES (included); INNER RACE: L68111				
	OUTER RACE: L44610				
					
008-250-05	3.5K 5.5"BC 6 BOLTS DRUM; 1/2"-20UNF		75	1950	
	RACES (included); INNER RACE: L68111				
	OUTER RACE: L44610				

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>BOLTS DRUM</b>					
					
008-201-05	5.2-6.0K 5.5"BC 6 BOLTS DRUM; 1/2"-20UNF RACES (included); INNER RACE: 15245 OUTER RACE: 25520		45	1350	
					
008-201-90	5.2-6.0K 5.5"BC 6 BOLTS DRUM; 1/2"-20UNF RACES (included); INNER RACE: LM67010 OUTER RACE: 25520		45	1350	
					
008-219-04	7.0K 6.5"BC 8 BOLTS DRUM; 1/2"-20UNF RACES (included); INNER RACE: 15245 OUTER RACE: 25520		45	1305	
					
008-219-13	7.0K 6.5"BC 8 BOLTS DRUM; 9/16"-18UNF RACES (included); INNER RACE: 15245 OUTER RACE: 25520		45	1305	
					
008-285-11	8.0K 6.5"BC 8 BOLTS DRUM ; 9/16"-18UNF RACES (included); INNER RACE: 02420 OUTER RACE: 25520		45	792	
					
008-285-08	8.0K 6.5"BC 8 BOLTS Drum; 5/8"-18UNF RACES (included); INNER RACE: 02420 OUTER RACE: 25520		45	792	
					
009-044-01	10K BRAKE DRUM DEXTER P/N:9-44-1		45	855	

PART NO.	DESCRIPTION	WEIGHT LBS	NO. OF PCS/ PALLET	NO. OF PCS/ CONTAINER	PRICE
<b>BOLTS DRUM</b>					
					
008-288-05	8.0K 6.5"BC 8 BOLTS DRUM; 5/8"-18UNF RACES (included); INNER RACE: 382A OUTER RACE: 25520		24	480	
					
009-027-01	10K BRAKE DRUM DEXTER P/N:9-27-1		36	720	
					
008-214-08	12K 6.5"BC 8 BOLTS DRUM 5/8"-18UNF RACES (included); INNER RACE: 3984 OUTER RACE: 28622		60		
					
009-028-01	12K BRAKE DRUM DEXTER P/N:9-28-1		36	864	
					
	10K 6.5"BC 8 BOLTS HUB ;5/8"-18UNF RACES (included); INNER RACE: 382A OUTER RACE: 25520		40		
	12K 6.5"BC 8 bolts Drum 5/8"-18UNF RACES (included); INNER RACE: 3984A OUTER RACE: 28622		24	432	

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>GREASE CAP</b>					
					
021-003-00	GREASE CAP DRIVE-IN		250		
	1.986OD 2K-3.5K STD CLOSED				
					
021-001-00	GREASE CAP DRIVE-IN		250		
	2.450 OD 4.4K-5.2K STD CLOSE				
					
021-039-00	GREASE CAP DRIVE-IN		225		
	2.720 OD 5.2K-7K STD CLOSED				
021-41-00	GREASE CAP DRIVE-IN		250		
	1.986OD 2K-3.5K STD EZLUBE				
021-42-00	GREASE CAP DRIVE-IN		250		
	2.450 OD 4.4K-5.2K STD EZLUBE				
021-43-00	GREASE CAP DRIVE-IN		225		
	2.720OD 5.2K-7K STD EZLUBE				

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/	NO. OF PCS/	PRICE
		LBS	BOX	PALLET	
<b>LUBE</b>					
					
085-001-00	EZ-LUBE CASP PLUG		2000		
					
021-086-00	DEXTER 50mm NEV-R-TUBE		250		
	STEEL CAP - 3.355" O.D				
					
021-085-00	Dexter 42mm Nev-R-Lube		250		
	Steel Cap - 3.125" O.D				

PART NO.	DESCRIPTION	WEIGHT	NO. OF PCS/ BOX	NO. OF PCS/ PALLET	PRICE
<b>STEEL CHROME PLATED</b>					
					
Bearing Protector	Steel Chrome Plated		80		
1.78"	Hub Bore 45.21mm				
Curt or Cequent					
Manufacturing					
Bearing Protector	Steel Chrome Plated		60		
1.98"	Hub Bore 50.29mm				
Curt or Cequent					
Manufacturing					
Bearing Protector	Steel Chrome Plated		45		
2.32"	Hub Bore 58.92mm				
Curt or Cequent					
Manufacturing					
Bearing Protector	Steel Chrome Plated		45		
2.44"	Hub Bore 62.00mm				
Curt or Cequent					
Manufacturing					



<b>LEAF SPRINGS</b>					
PART NO.	DESCRIPTION	WEIGHT	CRATE QTY	CTR. QTY	PRICE
		<b>kgs</b>			
SW4B	25.25" 4 LEAF DOUBLE EYE , 1750# CAPACITY	5	315	3780	
DE-SW5	25.25" 5 LEAF DOUBLE EYE , 3000# CAPACITY	7.8	225	2475	
SH-E5115	29.5" 6 LEAF SLIPPER HOOK , 4000# CAPACITY	13.3	135	1485	
SH-E5226	26.5" 5 LEAF SLIPPER HOOK , 3500# CAPACITY	9.54	185	2035	
120-3T3	26.5" 5 LEAF SLIPPER HOOK , 3500# CAPACITY	9.54	185	2035	
SR-WC2	24.62" 2 LEAF SLIPPER RADIUS , 500# CAPACITY	2.54	700	7700	
SR-WE3	24.62" 3 LEAF SLIPPER RADIUS , 750# CAPACITY	3.3	510	5610	
72.80	30.5" 5 LEAF SLIPPER SPRING , 5000# CAPACITY	15.5			
72-26	SPRING-DOUBLE EYE, 3000 #, 28" LOADED LENGTH	6.77		2770	
72-27	SPRING-DOUBLE EYE, 3500 #, 28" LOADED LENGTH	8.09		2315	



2000 lb Marine Spindle



3500 Marine Spindle  
w/ Stainless Steel ware Sleeve



2000 lb Galvanized Idler Hub , cupped & studded



3500 lb Galvanized Idler Hub